


Mini Lantau S Ref. 33517dc



Mounting	Ceiling
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	I
IP	20
FSC Madera	Si
Structure material	Steel
Blade material (fan blades)	Wood
Structure finish	Matt Black
Blade finish	Walnut
Motor type	DC
Fan power (W)	3-5-7-10-15-21
RPM	72-104-131-164-193-224
Airflow (m³/min)	147
Airflow (CFM)	5211
Number of blades	3
Reversible blades	No
Reverse function	Yes
Suitable for sloped ceilings	Yes
Maximum tilt (°)	10
Type of control included	Remote control with timer
Fan programming hours	1-4-8h
Rod diameter	21
Optional rod model	Lantau DC

 [Installation instructions](#)



A	A1	B	C
330/12.99"	320/12.6"	140/5.51"	160/6.3"
D	E	F	G
65/2.6"	150/5.91"	ø1070/42.1"	460/18.11"



Related accessories



DC Remote Control	
Reference	33987
Voltage (V)	100V-240V
Hertz	50/60Hz
IP	20
Structure material	ABS + Glass



DC Remote Control	
Reference	33988
Voltage (V)	100V-240V
Hertz	50/60Hz



DC Remote Control Accessory	
Reference	34303



DC Remote Control Accessory	
Reference	34304



